ELSEVIER

Volume 24, Numbers 1–3, March 1995

SENSORS AND ACTUATORS B CHEMICAL

Contents

Preface xi
A. D'Amico and C. Di Natale (Rome, Italy)

Organizing Institutions xii

Committees xii

Supporting Institutions xiii

Awards xiii

Workshops and Lectures xiv

Tutorial Lectures. xiv

Plenary Talks

Integrated molecular systems for biosensors. 1
M. Aizawa, K. Nishiguchi, M. Imamura, E. Kobatake, T. Haruyama, Y. Ikariyama (Yokohama, Japan)

Responsivity and noise in illustrative solid-state chemical sensors 6
C.M. Van Vliet (Montréal, Québec, Canada)

Supramolecular and polymeric structures for gas sensors 17
W. Göpel (Tübingen, Germany)

Molecular recognition applied to sensors. 33
D.N. Reinhoudt (Enschede, Netherlands)

Acoustic Devices

Selective detection of organic compounds by means of cavitand-coated QCM transducers. 39
E. Dalcanale (Parma, Italy), J. Hartmann (Magdeburg, Germany)

New design for QCM sensors in liquids 43
J. Auge, P. Hauptmann, J. Hartmann (Magdeburg-Barleben, Germany), S. Rösler, R. Lucklum (Magdeburg, Germany)

Theory, design and operation of a surface acoustic wave hydrogen sulfide microsensor. 49
J.D. Galipeau (Orono, ME, USA), R.S. Falconer (Bloomfield, CT, USA), J.F. Vetelino, J.J. Caron, E.L. Wittman, M.G. Schweyer, J.C. Andle (Orono, ME, USA)

A versatile SAW-based sensor system for investigating gas-sensitive coatings. 54
R.S. Falconer (Bloomfield, CT, USA)

A surface acoustic wave gas sensor: detection of organophosphorus compounds 58
C. Déjous, D. Rebière, J. Pistré (Talence, France), C. Tiret, R. Planade (Vert-Le-Petit, France)

Effects of surface physical sorption on characteristic of coated quartz-crystal humidity sensor 62
Y. Dong, G. Feng (Beijing, China)

Mass sensitivity of temperature-stabilized surface acoustic wave delay lines on GaAs 65
J. Enderlein (Berlin, Germany), S. Makarov (Saint Petersbourg Peterhof, Russia), E. Chilla, H.-J. Fröhlich (Berlin, Germany)

The interaction of transition metal phthalocyanines with organic molecules: a quartz-microbalance study. 69
K.-D. Schierbaum, R. Zhou, S. Knecht, R. Dieing, M. Hanack, W. Göpel (Tübingen, Germany)

Biosensors

Study of astringency and pungency with multichannel taste sensor made of lipid membranes. 75
S. Iiyama, S. Ezaki (Iizuka, Japan), K. Toko, T. Matsuno, K. Yamafuji (Fukuoka, Japan)

Elsevier Science S.A.

Effects of organic solvents on semicontinuous immunochemical detection of coumarin derivatives 80
W.F.M. Stöcklein, F.W. Scheller (Berlin, Germany), R. Abuknesha (London, UK)

Disposable ruthenized screen-printed biosensors for pesticides monitoring 85
A. Cagnini (Florence, Italy and Cranfield, Bedfordshire, UK), I. Palchetti, I. Lionti, M. Mascini (Florence, Italy), A.P.F. Turner (Cranfield, Bedfordshire, UK)

Feasibility of optical waveguide immunosensors for pesticide detection: physical aspects 90
E.F. Schipper, R.P.H. Kooyman, R.G. Heideman, J. Greve (Enschede, Netherlands)

Determination of catecholamines and uric acid in biological fluids without pretreatment, using chemically amplified biosensors 94
Y. Hasebe, T. Hirano, S. Uchiyama (Saitama, Japan)

Sensitivity of novel ultrathin platinum film immunosensors to buffer ionic strength 98
S. Hardeman, T. Nelson, D. Beirne, M. DeSilva, P.J. Hesketh, G. Jordan Maclay (Chicago, IL, USA), S.M. Gendel (Summit-Argo, IL, USA)

Multi-ion biosensor with use of a hybrid-enzyme membrane 103
I. Satoh, Y. Iijima (Kanagawa-ken, Japan)

Comparison of the QCM and the SPR method for surface studies and immunological applications 107
C. Kößlinger, E. Uttenthaler, S. Drost (Munich, Germany), F. Aberl, H. Wolf (Regensburg, Germany), G. Brink, A. Stanglmaier, E. Sackmann (Garching, Germany)

Self-assembly of mediator-modified enzyme in porous gold-black electrode for biosensing 113
M. Imamura, T. Haruyama, E. Kobatake, Y. Ikariyama, M. Aizawa (Yokohama, Japan)

Glucose-sensitive ENFET using potassium ferricyanide as an oxidizing substrate: the effect of an additional lysozyme membrane 117
A.A. Shul'ga (Münster, Germany), M. Koudelka-Hep, N.F. de Rooij (Neuchâtel, Switzerland), L.I. Netchiporouk (Ecully, France)

High-sensitivity biosensor based on LB technology and on nanogravimetry 121
C. Nicolini (Genoa Sestri Ponente, Italy), M. Adami (Marciana LI, Italy), T. Dubrovsky (Genoa Sestri Ponente, Italy), V. Erokhin (Marciana LI, Italy), P. Facci (Genoa Sestri Ponente, Italy), P. Paschkevitsch, M. Sartore (Marciana LI, Italy)

Selective acoustic plate mode DNA sensor 129
J.C. Andle (Scarborough, ME, USA), J.T. Weaver, J.F. Vetelino (Orono, ME, USA), D.J. McAllister (Scarborough, ME, USA)

Selective and repeatable detection of human serum albumin by using piezoelectric immunosensor 134
G. Sakai, T. Saiki (Fukuoka, Japan), T. Uda (Hiroshima, Japan), N. Miura, N. Yamazoe (Fukuoka, Japan)

In vivo continuous monitoring of L-lactate coupling subcutaneous microdialysis and an electrochemical biocell 138
G. Volpe, D. Moscone, D. Compagnone (Rome, Italy), G. Palleschi (Portici, Italy)

Surface plasmon resonance study for the detection of some biomolecules 142
E. Namira, T. Hayashida, T. Arakawa (Fukuoka, Japan)

Application of urease conductometric biosensor for heavy-metal ion determination 145
G.A. Zhylyak, S.V. Dzyadevich, Y.I. Korpan, A.P. Soldatkin, A.V. El'skaya (Kiev, Ukraine)

Electrodeposited GOD/BSA electrodes: ellipsometric study and glucose-sensing behaviour 149
D.M. Im, D.H. Jang, S.M. Oh (Seoul, South Korea), Ch. Striebel, H.-D. Wiemhöfer, G. Gauglitz, W. Göpel (Tübingen, Germany)

A new type of transcutaneous P_{CO_2} sensor 156
J. Han, D. Cui, Y. Li, J. Cai, Z. Dong, H. Zang, C. Shi (Beijing, China)

Using the site-binding model for an explanation of the blood compatibility of some materials used in biomedical sensors 159
A.S. Poghossian (Yerevan, Armenia)

Biosphere dynamics and chemical sensors 162
E.E. Gutman (Moscow, Russian Federation), S.P. Perov (Dolgoprudny M.R., Russian Federation), S. F Timashev (Moscow, Russian Federation)

The use of metal-island-coated pH-sensitive swelling polymers for biosensor applications 166
Th. Schalkhammer, Ch. Lobmaier, F. Pittner (Vienna, Austria), A. Leitner, H. Brunner, F.R. Aussenegg (Graz, Austria)

Usage of organosilanes for integration of enzymes and immunocomponents with electrochemical and optical transducers 173
N.F. Starodub, I.M. Samodumova, V.N. Starodub (Kiyv, Ukraine)

Polymeric Langmuir films with glucose oxidase as prototype biosensors 177
S.Yu. Zaitsev (Moscow, Russian Federation)

ChemFETs

Ag^+-selective electrodes based on lipophilic thioethers 183
W. Wróblewski, Z. Brzózka (Warsaw, Poland)

A new ISFET device for cocaine analysis 188
L. Campanella, C. Colapicchioni, M. Tomassetti, A. Bianco, S. Dezzi (Rome, Italy)

Monitoring of HF and F_2 using a field-effect sensor 194
W. Moritz, S. Krause (Berlin, Germany), A.A. Vasiliev, D.Yu. Godovski, V.V. Malyshev (Moscow, Russian Federation)

Durable chemical sensors based on field-effect transistors 197
D.N. Reinhoudt (Enschede, Netherlands)

A novel description of ISFET sensitivity with the buffer capacity and double-layer capacitance as key parameters . . . 201
R.E.G. van Hal, J.C.T. Eijkel, P. Bergveld (Enschede, Netherlands)

Electrical characterization of the aging of sealing materials for ISFET chemical sensors 206
I. Gràcia, C. Cané, E. Lora-Tamayo (Bellaterra, Barcelona, Spain)

Modelling the short-time response of ISFET sensors. 211
P. Woias, L. Meixner, D. Amandi, M. Schönberger (Munich, Germany)

An array of H^+ FETs for space-resolved electrochemical measurements in microenvironments 218
M. Bove, A. Cambiaso, M. Grattarola, S. Martinoia, G. Verreschi (Genoa, Italy)

A preliminary application of highly sensitive nitrate ISFETs to acid-rain monitoring 222
S. Wakida, T. Oizaki, M. Yamane, K. Higashi (Osaka, Japan)

Ion-beam modification of ISFET membranes for copper ion detection 225
J. Hüller, M.T. Pham, T. Vopel, J. Albrecht (Dresden, Germany)

New technology for easy and fully IC-compatible fabrication of backside-contacted ISFETs. 228
A. Merlos, E. Cabruja, J. Esteve (Bellaterra, Barcelona, Spain)

ISFET integrated sensor technology 232
P. Neužil (Prague, Czech Republic)

Electrochemical Sensors

Engineering of oxide surfaces and metal/oxide interfaces for chemical sensors: recent trends. 239
K.-D. Schierbaum (Tübingen, Germany)

A method for correcting short-term fatigue in electrochemical gas sensors 248
A.B. Ben Rashed (Cardiff, UK), D.R. Bull (Bristol, UK), G.J. Harris (Cardiff, UK)

Theoretical and experimental determination of cell constants of planar-interdigitated electrolyte conductivity sensors 252
W. Olthuis, W. Streekstra, P. Bergveld (Enschede, Netherlands)

Validation of the quartz-crystal microbalance response in liquid for sensor applications 257
D. Bouche-Pillon, C. Gabrielli, H. Perrot (Paris, France)

Solid-state potentiometric CO_2 sensors using anion conductor and metal carbonate 260
N. Miura, Y. Yan, M. Sato, S. Yao, S. Nonaka, Y. Shimizu, N. Yamazoe (Fukuoka, Japan)

Interfacial issues in the design and making of solid-state chemical sensors 266
D. Narducci, G. Girardi, C.M. Mari, S. Pizzini (Milan, Italy)

Potentiometric and amperometric gas sensors based on the protonic conduction of layered zirconium phosphates and phosphonates 270
G. Alberti, F. Cherubini, R. Palombari (Perugia, Italy)

An electrochemical sodium sensor for aluminium melts. 273
J.C. Dekeyser, F. De Schutter, C. Van der Poorten (Mol, Belgium), L. Zhang (Leeds, UK), D.J. Fray (Mol, Belgium)

Disposable reference electrode 276
C. Diekmann, C. Dumschat, K. Cammann, M. Knoll (Münster, Germany)

Potentiometric test strip 279
C. Dumschat, M. Borchardt, C. Diekmann, K. Cammann, M. Knoll (Münster, Germany)

Preparation of K_2O–Sm_2O_3–$nSiO_2$-based solid-state electrolyte and its application to electrochemical CO_2 gas sensor 282
Y. Sadaoka (Matsuyama, Japan), S. Nakayama (Bizen, Japan), Y. Sakai, M. Wake (Matsuyama, Japan)

Potentiometric sensor using stabilized zirconia for chlorine gas 287
Y. Yan, N. Miura, N. Yamazoe (Fukuoka, Japan)

Nitrate-sensitive corroding metal electrode. 291
S. Asakura, S. Okazaki, H. Nakagawa, K. Fukuda (Kanagawa, Japan)

Thin films of chalcogenide glass as sensitive membranes for the detection of mercuric ions in solution. 296
A. Guessous, P. Papet, J. Sarradin, M. Ribes (Montpellier, France)

An amperometric microsensor array with 1024 individually addressable elements for two-dimensional concentration mapping. 300
H. Hinkers, T. Hermes, C. Sundermeier, M. Borchardt, C. Dumschat (Münster, Germany), S. Bücher, M. Bühner (Steinfurt, Germany), K. Cammann, M. Knoll (Münster, Germany)

The effect of treatment of cation-selective glass electrodes with $AgNO_3$ solution on electrode properties. 304
I.S. Ivanovskaya, A.A. Belyustin, I.D. Pozdnyakova (St. Petersburg, Russia)

Analytical applications of chalcogenide glass chemical sensors in environmental monitoring and process control 309
A.V. Legin, E.A. Bychkov, Yu.G. Vlasov (St. Petersburg, Russia)

Design and properties of flow-through electrode with AgI-based membrane hydrophobized by PTFE; application to flow-injection determination of thiourea. 312
J. Komljenović, N. Radić (Split, Croatia)

A mercury sensor for flow- and batch-injection analyses 317
Yu.G. Vlasov, Y.E. Ermolenko, V.V. Kolodnikov, A.V. Ipatov, S. Al-Marok (St. Petersburg, Russia)

Electrochemical solid-state chlorine micro-generator for gas-detector calibration 320
A.V. Kroll, V.P. Chviruk (Kiev, Ukraine)

Effect of surfactants on the signal of chemically modified amperometric electrodes 323
G. Nagy, I. Kapui (Budapest, Hungary), L. Gorton (Lund, Sweden)

Development of a robust electrochemical oxygen sensor 328
A.G. Mortimer, G.P. Reed (Cheltenham, UK)

Evidence of silver(I) adsorption processes on the electroactive surface of the silver/silver selenide electrode 336
G. Papeschi (Florence, Italy)

Please note that the page numbering for these Proceedings is continuous throughout Volumes B24 and B25, and Author and Subject Indexes will be published at the end of Volume B25.

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.